

**Table 3A.1.2: Projected Doctor-Diagnosed Arthritis and Arthritis-Attributable Activity Limitations Among Adults Age 18 & Older, United States, 2015-2040**

	<u>Estimated Population (in millions)</u>	<u>Projected Prevalence of Doctor- Diagnosed Arthritis (in millions)</u>			<u>Projected Rate per 100 Population</u>	<u>Arthritis-Attributable Activity Limitation in Total Population [2]</u>			<u>Projected Rate per 100 Population</u>
		<u>Males</u>	<u>Females</u>	<u>Total</u>		<u>Males</u>	<u>Females</u>	<u>Total</u>	
2015	247.7	23.8	34.2	58.0	23.4	10.0	15.1	25.1	10.1
2020	260.4	25.8	36.9	62.7	24.1	10.9	16.3	27.2	10.4
2025	272.3	27.8	39.5	67.2	24.7	11.7	17.5	29.2	10.7
2030	283.1	29.6	41.9	71.5	25.2	12.5	18.6	31.1	11.0
2035	292.9	31.1	44.0	75.1	25.6	13.3	19.6	32.9	11.2
2040	302.0	32.6	45.8	78.4	25.9	14.0	20.6	34.6	11.4

Source: Hootman JM, Helmick CG, Barbour KE, et al. "Updated Projected Prevalence of Self-Reported Doctor-Diagnosed Arthritis and Arthritis-Attributable Activity Limitation Among US Adults, 2015-2040." *Arthritis & Rheumatology* 2016;68(7):1582-1587.