

Table 1.8.2: Lost Work Days Due to Major Health Conditions by Gender and Age for Persons Aged 18 and Over, United States 2015

| | Work Days Lost [1] | | | | Work Days Lost [1] | | |
|--------------------------|---|--------------------------------------|---|---|---|--------------------------------------|---|
| | <u>Persons</u> <u>Reporting</u> <u>Lost Work</u> <u>Days</u> <u>(in 000s)</u> | <u>Mean Work</u> <u>Days Lost</u> | <u>Total Work</u> <u>Days Lost</u> <u>(in millions)</u> | | <u>Persons</u> <u>Reporting</u> <u>Lost Work</u> <u>Days</u> <u>(in 000s)</u> | <u>Mean Work</u> <u>Days Lost</u> | <u>Total Work</u> <u>Days Lost</u> <u>(in millions)</u> |
| All Causes [2] | | | | All Musculoskeletal Injuries or Conditions [3] | | | |
| Total Population | 64,439 | 8.4 | 541.3 | Total Population | 35,664 | 10.2 | 363.8 |
| Male | 29,938 | 8.9 | 266.4 | Male | 16,616 | 10.3 | 171.1 |
| Female | 34,501 | 8.0 | 276.0 | Female | 19,049 | 10.1 | 192.4 |
| 18 to 44 Years | 37,547 | 7.0 | 262.8 | 18 to 44 Years | 18,118 | 8.6 | 155.8 |
| 45 to 64 Years | 24,686 | 10.3 | 254.3 | 45 to 64 Years | 15,951 | 11.7 | 186.6 |
| 65 Years & Over | 2,206 | 11.7 | 25.8 | 65 Years & Over | 1,596 | 13.8 | 22.0 |
| Circulatory [4] | | | | Diabetes [8] | | | |
| Total Population | 25,252 | 11.2 | 282.8 | Total Population | 4,017 | 15.8 | 63.5 |
| Male | 12,909 | 11.4 | 147.2 | Male | 2,107 | 17.0 | 35.8 |
| Female | 12,343 | 10.9 | 134.5 | Female | 1,910 | 14.4 | 27.5 |
| 18 to 44 Years | 9,293 | 10.1 | 93.9 | 18 to 44 Years | 839 | 19.5 | 16.4 |
| 45 to 64 Years | 14,191 | 11.7 | 166.0 | 45 to 64 Years | 2,669 | 15.1 | 40.3 |
| 65 Years & Over | 1,768 | 12.8 | 22.6 | 65 Years & Over | 509 | 13.4 | 6.8 |
| Respiratory [5] | | | | Depression/Fatigue/Nervous Problems [6] | | | |
| Total Population | 18,116 | 8.0 | 144.9 | Total Population | 5,084 | 14.9 | 75.8 |
| Male | 6,701 | 8.2 | 54.9 | Male | 2,203 | 13.5 | 29.7 |
| Female | 11,414 | 7.9 | 90.2 | Female | 2,882 | 16.0 | 46.1 |
| 18 to 44 Years | 9,322 | 6.0 | 55.9 | 18 to 44 Years | 3,392 | 10.7 | 36.3 |
| 45 to 64 Years | 8,025 | 10.1 | 81.1 | 45 to 64 Years | 1,591 | 24.1 | 38.3 |
| 65 Years & Over | 768 | 10.8 | 8.3 | 65 Years & Over | * | * | * |
| Cancer/Tumors [7] | | | | | | | |
| Total Population | 3,537 | 15.3 | 54.1 | | | | |
| Male | 1,410 | 16.9 | 23.8 | | | | |
| Female | 2,127 | 14.2 | 30.2 | | | | |
| 18 to 44 Years | 743 | 16.6 | 12.3 | | | | |
| 45 to 64 Years | 2,265 | 15.6 | 35.3 | | | | |
| 65 Years & Over | 529 | 12.4 | 6.6 | | | | |

Table 1.8.2: Lost Work Days Due to Major Health Conditions by Gender and Age for Persons Aged 18 and Over, United States 2015

* Does not meet standards for reliability.

[1] A missed work day is defined as absence from work due to illness or injury in the past 12 months, excluding maternity or family leave.

[2] Respondents response when asked "About how many days did miss work at a job or business because of illness or injury (do not include maternity leave)?"

[3] Respondent reported "Fracture/bone/joint injury; Back/neck problem; Arthritis/Rheumatism; Amputated limb/finger/digit; or Musculoskeletal /connective tissue problem." Bed days may be caused by any condition.

[4] Respondent reported "heart problem, stroke, hypertension, or circulation issue." Bed days may be caused by any condition.

[5] Respondent reported "diabetes." Bed days may be caused by any condition.

[6] Respondent reported "emphysema, chronic obstructive pulmonary disease, chronic asthma, hay fever, sinusitis, or chronic bronchitis." Bed days may be caused by any condition.

[7] Respondent reported "feelings that interfere with life and activities in past 30 days: sad, nervous, restless, hopelessness, worthlessness, depression, general anxiety, or living is an effort." Bed days may be caused by any condition.

[8] Respondent reported "any kind of cancer." Bed days may be caused by any condition.

Source: National Health Interview Survey (NHIS)_Adult Sample, 2015. <http://www.cdc.gov/nchs/nhis/data-questionnaires-documentation.htm> July 23, 2016.